

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040252976".pn.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:10
L2	336754	ATM or broadband or Internet or IP	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L3	67246	(ATM or broadband or Internet or IP) and voice	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L4	47897	(ATM or broadband or Internet or IP) and (voice and (telephon\$3))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L5	9428	((ATM or broadband or Internet or IP) and (voice and (telephon\$3))) and (ip near2 address\$3)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L6	1220055	rout\$3 or terminat\$3	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L7	8431	((((ATM or broadband or Internet or IP) and (voice and (telephon\$3))) and (ip near2 address\$3)) and (rout\$3 or terminat\$3))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L8	21	(((((ATM or broadband or Internet or IP) and (voice and (telephon\$3))) and (ip near2 address\$3)) and (rout\$3 or terminat\$3)) and (ip near2 ((adjunct or intelligent) near2 (processor or node))))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L9	2468	(((((ATM or broadband or Internet or IP) and (voice and (telephon\$3))) and (ip near2 address\$3)) and (rout\$3 or terminat\$3)) and ((rout\$3 or terminat\$) with (ip near2 address)))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L10	376	(((((ATM or broadband or Internet or IP) and (voice and (telephon\$3))) and (ip near2 address\$3)) and (rout\$3 or terminat\$3)) and ((rout\$3 or terminat\$) with (ip near2 address))) and "379"/\$.cccls.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L11	292	telephony near4 router	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L12	129	(telephony near4 router) and (ip near2 address)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L13	981	telephony and (ip near2 switch\$3)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L14	770	(((((ATM or broadband or Internet or IP) and (voice and (telephon\$3))) and (ip near2 address\$3)) and (rout\$3 or terminat\$3)) and ((rout\$3 or terminat\$) with (ip near2 address))) and (label or tag\$3)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25

L15	648	(telephony and (ip near2 switch\$3)) and (ip near2 address)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L16	242	((telephony and (ip near2 switch\$3)) and (ip near2 address)) and (label or tag)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L17	3867	(ip near2 (telephone or phone))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L18	2870	(ip adj2 (telephone or phone))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L19	89	((ip adj (telephone or phone))) and cisco.as.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L20	2082	(ip adj (telephone or phone))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L21	1707	telephony and (ip near2 (switch\$3 or router))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L22	1221	telephony and (ip adj2 (switch\$3 or router))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L23	334	((telephony and (ip adj2 (switch\$3 or router))) and (ip adj2 address)) and ((rout\$3 or terminat\$3) adj2 (table or database))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L24	334	((((telephony and (ip adj2 (switch\$3 or router))) and (ip adj2 address)) and ((rout\$3 or terminat\$3) adj2 (table or database))) and (voice or telephone or telephony)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L25	1	"5884032".pn.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L26	1	"5933490".pn.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L27	758	(telephony and (ip adj2 (switch\$3 or router))) and (ip adj2 address)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L28	166	"379"/\$.ccls. and (ip adj2 (communication or telephon\$1) adj2 system)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L29	1129	(telephony and (ip near2 (switch\$3 or router)) and (ip near2 address))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L30	1104	(telephony and (ip adj2 (switch\$3 or router or gateway)) and (ip adj2 address))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L31	1104	(telephony and (ip adj2 (switch\$3 or router or gateway)) and (ip adj2 address\$2))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25

L32	158	((telephony and (ip adj2 (switch\$3 or router or gateway)) and (ip adj2 address\$2))) and ((database or (data adj base) or table) with (convert\$3 or associat\$3 or map\$4) with (ip adj2 address\$2))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L33	2934	(internet or web) adj2 (telephony)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L34	181	((internet or web) adj2 (telephony)) and ((database or (data adj base) or table) with (convert\$3 or associat\$3 or map\$4) with (ip adj2 address\$2))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L35	119	((((internet or web) adj2 (telephony)) and ((database or (data adj base) or table) with (convert\$3 or associat\$3 or map\$4) with (ip adj2 address\$2))) not (((telephony and (ip adj2 (switch\$3 or router or gateway)) and (ip adj2 address\$2))) and ((database or (data adj base) or table) with (convert\$3 or associat\$3 or map\$4) with (ip adj2 address\$2))))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L36	2159	(label\$4 or tag\$4) same (ip near2 address)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L37	451	((label\$4 or tag\$4) same (ip near2 address)) and mpls	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L38	220	((((label\$4 or tag\$4) same (ip near2 address)) and mpls) and (call or telephon\$3)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L39	219	(((((label\$4 or tag\$4) same (ip near2 address)) and mpls) and (call or telephon\$3)) and rout\$3	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L40	1	"6292478".pn.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L41	402	(tunnel\$5 adj5 request)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L42	350	L41 and (ip (internet adj3 protocol))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L43	45	L42 and (call adj3 request\$5)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L44	33	L43 and (ip adj3 address)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L45	2472	"lc filter"	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L46	768908	(lc filter) with (if filter)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L47	0	"lc filter" with "if filter"	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25

L48	0	"lc filter" and ("if" adj3 filter)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L49	4	"if filter"	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L50	2472	"lc filter" with (intermediate frequency filter (inter adj3 mediate adj3 filter))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L51	0	"lc filter" with ("intermediate frequency filter" (inter adj3 mediate adj3 filter))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L52	5	((second near4 mixer near4 pair) with (upconver\$5 downconver\$5))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L53	0	"379"/\$.ccls. and (template with overrid\$5 with new with old)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L54	2	"379"/\$.ccls. and (template with overrid\$5)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L55	4	("20020085702" "5204894" "6081898" "5574776").pn.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L56	84	"379"/\$.ccls. and (AIN) and (request with acknowledg\$5)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L57	0	"379"/\$.ccls. and (AIN) and (acknowledgment with message with process\$5 with (origina\$5 calling) with (terminat\$5 destinat\$5))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L58	2	"379"/\$.ccls. and (AIN) and (acknowledgment with (message signal) with (origina\$5 calling) with (terminat\$5 destinat\$5))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L59	35	"379"/\$.ccls. and (acknowledgment with (message signal) with (origina\$5 calling) with (terminat\$5 destinat\$5))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L60	1	"5359598".pn.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L61	178	(email "e-mail" webpage "web page" html) with (indicat\$5 input\$5 stat\$5 writ\$5 not\$5) with (specific particular special) with (operator agent representative)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L62	1714	(email "e-mail" webpage "web page" html form) with (indicat\$5 input\$5 stat\$5 writ\$5 not\$5 insert\$5) with (specific particular special) with (operator agent representative)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L63	730	379/265.01-266.1.ccls. and ((particular specific comfortable regular) near4 (agent operator representative))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25

L64	64	379/265.01-266.1.ccls. and (((particular specific comfortable regular) near4 (agent operator representative)) with (customer caller calling) with (request\$5 ask\$5 desire))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L65	64	379/265.01-266.1.ccls. and (((particular specific comfortable regular) near4 (agent operator representative)) with (customer caller calling) with (request\$5 ask\$5 desire\$5))	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L66	1	"5379337".pn.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L67	1	"5379337".pn. and (alternate with choice with PSAP)	US-PGPUB; USPAT	OR	ON	2005/10/11 14:25
L68	0	tunnel\$5 with ip with address with (label\$5 tag\$5) with prefix with (call connection) with request.clm.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:35
L69	10	"420951"	US-PGPUB; USPAT	OR	ON	2005/10/11 14:34
L70	0	(tunnel\$5 with ip with address with (label\$5 tag\$5) with prefix with (call connection) with request).clm.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:35
L71	0	(tunnel\$5 same ip same address same (label\$5 tag\$5) same prefix same (call connection) same request).clm.	US-PGPUB; USPAT	OR	ON	2005/10/11 14:36